



PLC PROGRAMMABLE LOGIC CONTROL PRODUCT GUIDE

PLC PRODUCTS FOR YOUR APPLICATION.



EQUIPMENT SHELTERS & TELECOM

Bard[®]
SINCE 1914

Climate Control Solutions



EQUIPMENT
SHELTERS
& TELECOM



UNIT
SELECTION
ICON

PLC Programmable Logic Control Wall-Mount™ Air Conditioners



Wall-Mount™
B-Cabinet Air Conditioner

Wall-Mount™
C-Cabinet Air Conditioner

MULTI-TEC®

W18ABP-W36ABP
(Right Hand Access)

W18LBP-W36LBP
(Left Hand Access)

W42AC-W72AC
(Front Access)

- 11 EER cooling efficiency
- 1.5 ton, single phase
2 to 6 ton, single or three phase
3, 4 and 5 ton 575V, three phase
- PLC control module
- Copeland scroll compressor
- R-410A refrigerant
- Copper tube/aluminum fin coils
- Optional full flow free cooling economizer
- Optional hot gas dehumidification
(W42AC-W72AC models)
- Optional electric reheat dehumidification
(W36AB-W72AC models)
- AHRI Certified
- ETL Listed (US and Canada)

Used with LC6000 Controller



FUSION-TEC™



Bard Guard installed

FUSION-TEC™

WR35AP/WR36AP/WR58AP

- 11 EER cooling efficiency
- 15.7 IPLV
- 3 to 5 ton step capacity
- Single or three phase
- PLC control module
- Reverse airflow
- Free cooling unit
- Copeland scroll compressor
- R-410A refrigerant
- Copper tube/aluminum fin coils
- AHRI Certified
- ETL Listed (US and Canada)

Used with LC6000 Controller

PLC Programmable Logic Control Wall-Mount™ Air Conditioners



15 Ton MEGA-TEC™



7.5-12.5 Ton MEGA-TEC™

MEGA-TEC™

W090-W180

- 10 EER cooling efficiency
- Three phase, 50 and 60 Hz models available
- PLC control module
- Copeland scroll compressor
- R-410A refrigerant
- Copper tube/aluminum fin coils
- Optional electric reheat
- Optional hot gas dehumidification
- AHRI Certified
- ETL Listed (US and Canada)

Used with LC6000 Controller

Controllers and Accessories

- Remote mounted temperature and humidity sensors
- LED display
- Multiple alarm functionalities
- Built-in humidification and dehumidification control

LC6000 Controller

- Manage up to 14 units with a single control
- Control up to 3 separate zones of operation
- MODBUS
- IPV4

Bard Guard™

- Security interface for use with FUSION-TEC series



LC6000 Controller



Bard Guard™

CABINET COLOR OPTIONS


FUSION-TEC™ & MULTI-TEC®



X = BEIGE




1 = WHITE



4 = BUCKEYE GRAY



5 = DESERT BROWN



8 = DARK BRONZE


DUAL-TEC™



X = BEIGE



1 = WHITE



4 = BUCKEYE GRAY

MEGA-TEC™



1 = WHITE



Bard Manufacturing Company, Inc.
1914 Randolph Dr., Bryan, OH 43506
419-636-1194

www.bardhvac.com

