



COMPONENT CODE			
CB1	CIRCUIT BREAKER #1	LAB	LOW AMBIENT BYPASS
CB2	CIRCUIT BREAKER #2	LAC	LOW AMBIENT CONTROL
CC	COMPRESSOR CONTACTOR	LPB	LOW PRESSURE BYPASS
COMP	COMPRESSOR	LPC	LOW PRESSURE CONTROL
DFC	DEFROST CONTROL	LS	LIMIT SWITCH
EHR	EMERGENCY HEAT RELAY	OFC	OUTDOOR FAN CAPACITOR
GND	EQUIPMENT GROUND	OFM	OUTDOOR FAN MOTOR
H1	HEAT STRIP #1	OMT	OUTDOOR MOTOR THERMOSTAT
H2	HEAT STRIP #2	PL1	PLUG #1
HC1	HEATER CONTACTOR #1	PM	PHASE MONITOR
HC2	HEATER CONTACTOR #2	RV	REV. VALVE SOLINOID
HPC	HIGH PRESSURE CONTROL	T	TRANSFORMER
IBC	INDOOR BLOWER CAPACITOR	TB, TB2	TERMINAL BLOCK
IBM	INDOOR BLOWER MOTOR	TBL	LOW VOLTAGE TERMINAL BLOCK
IBR	INDOOR BLOWER RELAY	TCO	THERMAL CUTOFF

USE COPPER CONDUCTORS ONLY
SUITABLE FOR AT LEAST 75° C

	Labeled wires connect if no options used.				Move red wire to 208V tap for 208V operation					RED (LOW) BLACK (HIGH) BLUE (MED) WHERE APPLICABLE																																																												
	<table border="1"> <thead> <tr> <th></th> <th>FACTORY STD.</th> <th>FIELD</th> <th>OPTIONAL</th> </tr> </thead> <tbody> <tr> <td>HIGH VOLTAGE</td> <td>————</td> <td>- - - -</td> <td>————</td> </tr> <tr> <td>LOW VOLTAGE</td> <td>————</td> <td>- - - -</td> <td>————</td> </tr> <tr> <td>ACCESSORY</td> <td>————</td> <td>- - - -</td> <td>————</td> </tr> </tbody> </table>		FACTORY STD.		FIELD	OPTIONAL	HIGH VOLTAGE	————		- - - -	————	LOW VOLTAGE	————	- - - -	————	ACCESSORY	————	- - - -	————	<table border="1"> <thead> <tr> <th colspan="4">COLOR CODE</th> </tr> </thead> <tbody> <tr> <td>BK</td> <td>BLACK</td> <td>Y</td> <td>YELLOW</td> </tr> <tr> <td>BR</td> <td>BROWN</td> <td>G</td> <td>GREEN</td> </tr> <tr> <td>R</td> <td>RED</td> <td>BL</td> <td>BLUE</td> </tr> <tr> <td>O</td> <td>ORANGE</td> <td>W</td> <td>WHITE</td> </tr> <tr> <td></td> <td></td> <td>V</td> <td>VIOLET</td> </tr> <tr> <td></td> <td></td> <td>(PR)</td> <td>PURPLE</td> </tr> <tr> <td></td> <td></td> <td>GY</td> <td>GRAY</td> </tr> <tr> <td></td> <td></td> <td>(S)</td> <td>SLATE</td> </tr> <tr> <td></td> <td></td> <td>T</td> <td>TAN</td> </tr> <tr> <td></td> <td></td> <td>PK</td> <td>PINK</td> </tr> <tr> <td></td> <td></td> <td>L</td> <td>LAVENDER</td> </tr> </tbody> </table>				COLOR CODE				BK	BLACK	Y	YELLOW	BR	BROWN	G	GREEN	R	RED	BL	BLUE	O	ORANGE	W	WHITE			V	VIOLET			(PR)	PURPLE			GY	GRAY			(S)	SLATE			T	TAN			PK	PINK			L
	FACTORY STD.	FIELD	OPTIONAL																																																																			
HIGH VOLTAGE	————	- - - -	————																																																																			
LOW VOLTAGE	————	- - - -	————																																																																			
ACCESSORY	————	- - - -	————																																																																			
COLOR CODE																																																																						
BK	BLACK	Y	YELLOW																																																																			
BR	BROWN	G	GREEN																																																																			
R	RED	BL	BLUE																																																																			
O	ORANGE	W	WHITE																																																																			
		V	VIOLET																																																																			
		(PR)	PURPLE																																																																			
		GY	GRAY																																																																			
		(S)	SLATE																																																																			
		T	TAN																																																																			
		PK	PINK																																																																			
		L	LAVENDER																																																																			